Exhibit E Part 2 of 4

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

CONTINUED - Comidor 102, 103, 106

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R 5/8" drywall - hung, taped, with smooth wall finish	2,362.50 SF@	1.82=	4,299.75
Seal/prime the walls - one coat	2,362.50 SF@	0.29=	685.13
R&R Batt insulation - 6" - R19	991.00 SF@	0.99=	981.09
R&R Cove base molding - rubber or vinyl, 4" high	262.50 LF@	1.92=	504.01
R&R Tile - vinyl composition - High grade	991.00 SF@	2.63=	2,606.33
Replace Floor preparation for vct	991.00 SF@	0.47=	465.77
R&R Steel frame glazed openings	10.25 SF@	25.68=	263.22
R&R Steel door frame - 3' opening	2.00 EA@	151.48=	302.96
Paint door/sidelight window frame - 2 coats (per side)	2.00 EA@	31.86=	63.72
R&R Wood door - birch face, solid core, 7'0	2.00 EA@	168.57=	337.14
Paint door slab only - 2 coats (per side)	4.00 EA@	15.99=	63.96
R&R Door hinge, 4" ball bearing (set of 3)	2.00 EA@	59.26=	118.52
R&R Lockset - keyed - Medium duty - Commercial grade	2.00 EA@	120.59=	241.18
R&R Door stop - Wall or floor mounted	2.00 EA@	12.62=	25.24
Paint door frame - 2 coats (per side)	2.00 EA@	15.93=	31.86
R&R Fluorescent - acoustic grid fixture - four tube, 2'x 4'	11.00 EA@	168.73=	1,856.03
R&R Drinking fountain with cooler	2.00 EA@	878.12=	1,756.24
R&R Metal studding, 6" wide, 16" OC, 25 Ga.	2,100.08 SF@	1.82=	3,822.15
R&R Metal studding, 3 5/8" wide, 16" OC, 25 Ga.	419.58 SF@	1.67=	700.70
R&R 5/8" drywall - hung, taped, with smooth wall finish	4,200.17 SF@	1.82=	7,644.30

Subroom 1: 103 Offset LxWxH 60'0" x 12'8" x 9'0"

Missing Wall: 1 - 12'8" X 8'0" Opens into 0 Goes to neither Floor/Ceiling

Missing Wall: 1 - 6'0" X 8'0" Opens into 1 Goes to Floor

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

Subroom 3: 104 Offset

LxWxH 11'0" x 6'0" x 9'0"

Missing Wall: 1 - 6'0" X 9'0"	Opens into 0	Goes to Floor/Ceiling	
DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Suspended ceiling system - 2' x 4'	2,779.00 SF@	1.90=	5,280.10
R&R 5/8" drywall - hung, taped, with smooth wall finish	3,070.33 SF@	1.82=	5,588.01
Seal/prime the walls - one coat	3,070.33 SF@	0.29=	890.40
R&R Batt insulation - 6" - R19	2,779.00 SF@	0.99=	2,751.21
R&R Cove base molding - rubber or vinyl, 4" high	362.33 LF@	1.92=	695.68
R&R Steel frame glazed openings	20.50 SF@	25.68=	526.44
R&R Steel door frame - 3' opening	2.00 EA@	151.48=	302.96
Paint door/sidelight window frame - 2 coats (per side)	4.00 EA@	31.86=	127.44
R&R Wood door - birch face, solid core, 7'0	2.00 EA@	168.57=	337.14
Paint door slab only - 2 coats (per side)	4.00 EA@	15.99=	63.96
R&R Door hinge, 4" ball bearing (set of 3)	2.00 EA@	59.26=	118.52
R&R Lockset - keyed - Medium duty - Commercial grade	e 2.00 EA@	120.59=	241.18
R&R Door stop - Wall or floor mounted	2.00 EA@	12.62=	25.24
R&R Fluorescent - acoustic grid fixture - four tube, 2'x 4'	24.00 EA@	168.73=	4,049.52
R&R Tile - vinyl composition - High grade	2,779.00 SF@	2.63=	7,308.77
Replace Floor preparation for vot	2,779.00 SF@	0.47=	1,306.13

Room: Galley

IDI-RADIOSH080908

LxWxH 26'0" x 14'0" x 9'0"

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Suspended ceiling system - 2' x 4'	364.00 SF@	1.90=	691.60
R&R 5/8" drywall - hung, taped, with smooth wall finish	720.00 SF@	1.82=	1,310.40
Seal/prime the walls - one coat	720.00 SF@	0.29=	208.80
R&R Batt insulation - 6" - R19	364.00 SF@	0.99=	360.36
R&R Cove base molding - nubber or vinyl, 4" high	80.00 LF@	1.92=	153.60
R&R Steel frame glazed openings	10.25 SF@	25.68=	263.22
R&R Steel door frame - 3' opening	1.00 EA@	151.48=	151.48
Paint door/sidelight window frame - 2 coats (per side)	2.00 EA@	31.86=	63.72
R&R Wood door - birch face, solid core, 7'0	1.00 EA@	168.57=	168.57

08-13-2008 Page: 5

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

CONTINUED - Galley

DESCRIPTION	QNTY	UNIT COST	TOTAL
Paint door slab only - 2 coats (per side)	2.00 EA@	15.99=	31.98
R&R Door hinge, 4" ball bearing (set of 3)	1.00 EA@	59.26=	59.26
R&R Lockset - keyed - Medium duty - Commercial grade	1.00 EA@	120.59=	120.59
R&R Door stop - Wall or floor mounted	1.00 EA@	12.62=	12.62
R&R Fluorescent - acoustic grid fixture - four tube, 2'x 4'	4.00 EA@	168.73=	674.92
R&R Tile - vinyl composition - High grade	364.00 SF@	2.63=	957.32
Replace Floor preparation for vct	364.00 SF@	0.47=	171.08
R&R Custom cabinets - base units	39.58 LF@	203.70=	8,063.13
R&R Custom cabinets - wall units - 30" tall	14.00 LF@	140.16=	1,962.24
R&R Countertop - Flat laid plastic laminate	39.58 LF@	37.02=	1,465.26
R&R 6" backsplash for flat laid countertop	39.58 LF@	9.85≔	389.87

Room: Mens Restroom

LxWxH 23'0" x 12'0" x 9'0"

Subroom 1: Offset 1 LxWxH 6'0" x 6'0" x 9'0"

Missing Wall:	1 - 6'0" X 9'0"	Opens into 0	Goes to Floor/Ceiling	
DESCRIPTION		QNTY	UNIT COST	TOTAL
R&R Suspended ceiling system -	2' x 4'	312.00 SF@	1.90=	592.80
R&R 5/8" drywall - hung, taped,	with smooth wall finish	738.00 SF@	1.82=	1,343.16
Seal/prime the walls - one coat		738.00 SF@	0.29=	214.02
R&R Batt insulation - 6" - R19		312.00 SF@	0.99=	308.88
R&R Cove base molding - rubbe	r or vinyl, 4" high	82.00 LF@	1.92=	157.44
R&R Steel door frame - 3' opening	ng	1.00 EA@	151.48=	151.48
R&R Wood door - birch face, so	lid core, 7'0	1.00 EA@	168.57=	168.57
Paint door slab only - 2 coats (pe	r side)	2.00 EA@	15.99=	31.98
R&R Door hinge, 4" ball bearing	(set of 3)	1.00 EA@	59.26=	59.26
R&R Lockset - keyed - Medium	duty - Commercial grade	1.00 EA@	120.59=	120.59

IDI-RADIOSH080908 08/13/2008 Page: 6

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

CONTINUED - Mens Restroom

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Door stop - Wall or floor mounted	1.00 EA@	12.62=	12.62
R&R Fluorescent - acoustic grid fixture - four tube, 2'x 4'	6.00 EA@	168.73=	1,012.38
Paint door frame - 2 coats (per side)	2.00 EA@	15.93=	31.86
R&R Tile - vinyl composition - High grade	312.00 SF@	2.63=	820.56
Replace Floor preparation for vct	312.00 SF@	0.47=	146.64
R&R Countertop - Flat laid plastic laminate	12.00 LF@	37.02=	444.24
R&R 6" backsplash for flat laid countertop	12.00 LF@	9.85=	118.20
R&R Plastic laminate end panels	2.00 EA@	76.04=	152.08
Detach & Reset Urinal - wall hung	4.00 EA@	235.57=	942.28
Detach & Reset Toilet	3.00 EA@	162.30=	486.90
Detach & Reset Sink - single	4.00 EA@	100.10=	400.40
Detach & Reset Sink faucet - Bathroom	4.00 EA@	80.28=	321.12
R&R Toilet seat	3.00 EA@	46.82=	140.46
R&R Handicap grab bar - Stainless steel, 1 1/2" x 36"	2.00 EA@	64.62=	129.24
R&R Handicap grab bar - Stainless steel, 1 1/2" x 42"	1.00 EA@	72.63=	72.63
R&R Paper towel dispenser	1.00 EA@	71.66=	71.66
R&R Toilet paper dispenser - double roll	3.00 EA@	51.18=	153.54
R&R Toilet partition (plastic laminate or baked enamel steel)	3.00 EA@	419.33=	1,257.99
R&R Urinal partition (plastic laminate or baked enamel steel)	3.00 EA@	179.96=	539.88
R&R Mirror - 1/4" plate glass	44.00 SF@	9.63=	423.72

Room: Womens Restroom

LxWxH 23'0" x 12'0" x 9'0"

Subroom 1: Offset 1

LxWxH 6'0" x 6'0" x 9'0"

Missing Wall:	1 - 6'0" X 9'0"	Opens into 0	Goes to Floor/Ceiling	
DESCRIPTION		QNT	Y UNIT COST	TOTAL
R&R Suspended ceiling system	- 2' x 4'	312.00 SF@) 1.90=	592.80

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

CONTINUED - Womens Restroom

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R 5/8" drywall - hung, taped, with smooth wall finish	738.00 SF@	1.82=	1,343.16
Seal/prime the walls - one coat	738.00 SF@	0.29=	214.02
R&R Batt insulation - 6" - R19	312.00 SF@	0.99=	308.88
R&R Cove base molding - rubber or vinyl, 4" high	82.00 LF@	1.92=	157.44
R&R Steel door frame - 3' opening	1.00 EA@	151.48=	151.48
Paint door frame - 2 coats (per side)	2.00 EA@	15.93=	31.86
R&R Wood door - birch face, solid core, 7'0	1.00 EA@	168.57=	168.57
Paint door slab only - 2 coats (per side)	2.00 EA@	15,99=	31.98
R&R Door hinge, 4" ball bearing (set of 3)	1.00 EA@	59.26=	59.26
R&R Lockset - keyed - Medium duty - Commercial grade	1.00 EA@	120.59=	120.59
R&R Door stop - Wall or floor mounted	1.00 EA@	12.62=	12.62
R&R Fluorescent - acoustic grid fixture - four tube, 2'x 4'	6.00 EA@	168.73=	1,012.38
R&R Tile - virtyl composition - High grade	312.00 SF@	2.63=	820.56
Replace Floor preparation for vct	312.00 SF@	0.47=	146.64
R&R Countertop - Flat laid plastic laminate	39.58 LF@	37.02=	1,465.26
R&R 6" backsplash for flat laid countertop	39.58 LF@	9.85=	389.87
R&R Plastic laminate end panels	2.00 EA@	76.04=	152.08
Detach & Reset Toilet	7.00 EA@	162.30=	1,136.10
Detach & Reset Sink - single	4.00 EA@	100.10=	400.40
Detach & Reset Sink faucet - Bathroom	4.00 EA@	80.28=	321.12
R&R Toilet seat	7.00 EA@	46.82=	327.74
R&R Handicap grab bar - Stainless steel, 1 1/2" x 36"	2.00 EA@	64.62=	129.24
R&R Handicap grab bar - Stainless steel, 1 1/2" x 42"	1.00 EA@	72.63=	72.63
R&R Paper towel dispenser	1.00 EA@	71.66=	71.66
R&R Toilet paper dispenser - double roll	7.00 EA@	51.18=	358.26
R&R Toilet partition (plastic laminate or baked enamel steel)	7.00 EA@	419.33=	2,935.31
R&R Mirror - 1/4" plate glass	44.00 SF@	9.63=	423.72

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

Room: Womens Locker

LxWxH 24'0" x 11'3" x 9'0"

Subroom 1: Offset

LxWxH 7'0" x 5'0" x 9'0"

Missing Wall: 1 - 7'0" X 9'0"	Opens into 0	Goes to Floor/Ceiling	
DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Suspended ceiling system - 2' x 4'	305.00 SF@	1.90=	579.50
R&R 5/8" drywall - hung, taped, with smooth wall finish	724.50 SF@	1.82=	1,318.59
Seal/prime the walls - one coat	724.50 SF@	0.29=	210.11
R&R Batt insulation - 6" - R19	305.00 SF@	0.99=	301.95
R&R Cove base molding - rubber or vinyl, 4" high	80.50 LF@	1.92=	154.57
R&R Steel door frame - 3' opening	1.00 EA@	151.48=	151.48
R&R Wood door - birch face, solid core, 7'0	1.00 EA@	168.57=	168.57
Paint door slab only - 2 coats (per side)	2.00 EA@	15.99=	31.98
R&R Door hinge, 4" ball bearing (set of 3)	1.00 EA@	59.26=	59.26
R&R Lockset - keyed - Medium duty - Commercial grade	1.00 EA@	120.59=	120.59
R&R Door stop - Wall or floor mounted	1.00 EA@	12.62=	12.62
R&R Fluorescent - acoustic grid fixture - four tube, 2'x 4'	3.00 EA@	168.73=	506.19
Paint door frame - 2 coats (per side)	2.00 EA@	15.93=	31.86
R&R Tile - vinyl composition - High grade	305.00 SF@	2.63=	802.15
Replace Floor preparation for vct	305.00 SF@	0.47=	143.35

Room: Mens Locker

LxWxH 24'0" x 11'6" x 9'0"

Subroom 1: Offset

LxWxH 5'6" x 5'3" x 9'0"

Missing Wall:	1 - 5'6" X 9'0"	Opens into 0	Goes to Floor/Ceiling	5
DESCRIPTION		QNTY	UNIT COST	TOTAL
R&R Suspended ceiling system -	2' x 4'	304.88 SF@	1.90=	579.26
R&R 5/8" drywall - hung, taped,	with smooth wall finish	733.50 SF@	1.82=	1,334.97
Seal/prime the walls - one coat		733.50 SF@	0.29=	212.72
R&R Batt insulation - 6" - R19		304.88 SF@	0.99=	301.83
R&R Cove base molding - rubbe	er or vinyl, 4" high	81.50 LF@	1.92=	156.49

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

CONTINUED - Mens Locker

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Steel door frame - 3' opening	1.00 EA@	151.48=	151.48
R&R Wood door - birch face, solid core, 7'0	1.00 EA@	168.57=	168.57
Paint door slab only - 2 coats (per side)	2.00 EA@	15.99=	31.98
R&R Door hinge, 4" ball bearing (set of 3)	1.00 EA@	59.26=	59.26
R&R Lockset - keyed - Medium duty - Commercial grade	1.00 EA@	120.59=	120.59
R&R Door stop - Wall or floor mounted	1.00 EA@	12.62=	12.62
R&R Fluorescent - acoustic grid fixture - four tube, 2'x 4'	3.00 EA@	168.73=	506.19
Paint door frame - 2 coats (per side)	2.00 EA@	15.93=	31.86
R&R Tile - vinyl composition - High grade	304.88 SF@	2.63=	801.82
Replace Floor preparation for vct	304.88 SF@	0.47=	143.29

Room: Open Office

LxWxH 58'3" x 36'4" x 9'0"

Subroom 1: Offset 110

LxWxH 20'6" x 6'3" x 9'0"

Missing Wall: Subroom 2: Offset 117 1 - 20'6" X 9'0"

Opens into 0

Goes to Floor/Ceiling

LxWxH 11'0" x 6'6" x 9'0"

Missing Wall:

1 - 6'6" X 9'0"

Opens into 0

Goes to Floor/Ceiling

Missing wau: 1 - 00" A 90	Opens into 0	does to Proof/ectaing	
DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Suspended ceiling system - 2' x 4'	2,316.04 SF@	1.90=	4,400.48
R&R 5/8" drywall - hung, taped, with smooth wall finish	2,013.00 SF@	1.82=	3,663.66
Seal/prime the walls - one coat	2,013.00 SF@	0.29=	583.77
R&R Batt insulation - 6" - R19	2,316.04 SF@	0.99=	2,292.88
R&R Cove base molding - rubber or vinyl, 4" high	223.67 LF@	1.92=	429.44
R&R Glue down carpet - Commercial grade	2,316.04 SF@	4.76=	11,024.35
R&R Steel frame glazed openings	10.25 SF@	25.68=	263.22
R&R Steel door frame - 3' opening	1.00 EA@	151.48=	151.48

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

CONTINUED - Open Office

DESCRIPTION	QNTY	UNIT COST	TOTAL
Paint door/sidelight window frame - 2 coats (per side)	2.00 EA@	31.86=	63.72
R&R Wood door - birch face, solid core, 7'0	1.00 EA@	168.57=	168.57
Paint door slab only - 2 coats (per side)	2.00 EA@	15.99=	31.98
R&R Door hinge, 4" ball bearing (set of 3)	1.00 EA@	59.26=	59.26
R&R Lockset - keyed - Medium duty - Commercial grade	1.00 EA@	120.59=	120.59
R&R Door stop - Wall or floor mounted	1.00 EA@	12.62=	12.62
R&R Fluorescent - acoustic grid fixture - four tube, 2'x 4'	26.00 EA@	168.73=	4,386.98

Room: Mail / Copy / Fax

LxWxH 15'0" x 12'0" x 9'0"

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Suspended ceiling system - 2' x 4'	180.00 SF@	1.90=	342.00
R&R 5/8" drywall - hung, taped, with smooth wall finish	486.00 SF@	1.82=	884.52
Seal/prime the walls - one coat	486.00 SF@	0.29=	140.94
R&R Batt insulation - 6" - R19	180.00 SF@	0.99=	178.20
R&R Cove base molding - rubber or vinyl, 4" high	54.00 LF@	1.92=	103.68
R&R Glue down carpet - Commercial grade	180.00 SF@	4.76=	856.80
R&R Steel door frame - 3' opening	1.00 EA@	151.48=	151.48
R&R Wood door - birch face, solid core, 7'0	1.00 EA@	168.57=	168.57
Paint door slab only - 2 coats (per side)	2.00 EA@	15.99=	31.98
R&R Door hinge, 4" ball bearing (set of 3)	1.00 EA@	59.26=	59.26
R&R Lockset - keyed - Medium duty - Commercial grade	1.00 EA@	120,59=	120.59
R&R Door stop - Wall or floor mounted	1.00 EA@	12.62=	12.62
R&R Fluorescent - acoustic grid fixture - four tube, 2'x 4'	2.00 EA@	168.73=	337.46
Paint door frame - 2 coats (per side)	2.00 EA@	15.93=	31.86
R&R Custom cabinets - base units	12.00 LF@	203.70=	2,444.40
R&R Custom cabinets - wall units - 30" tall	12.00 LF@	140.16=	1,681.92

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

CONTINUED - Mail / Copy / Fax

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Countertop - Flat laid plastic laminate	12.00 LF@	37.02=	444.24
R&R 6" backsplash for flat laid countertop	12.00 LF@	9.85=	118.20

Room: Conference 2

LxWxH 15'0" x 12'6" x 9'0"

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Suspended ceiling system - 2' x 4'	187.50 SF@	1.90=	356.26
R&R 5/8" drywall - hung, taped, with smooth wall finish	495.00 SF@	1.82=	900.90
Seal/prime the walls - one coat	495.00 SF@	0.29=	143.55
R&R Batt insulation - 6" - R19	187.50 SF@	0.99=	185.63
R&R Cove base molding - rubber or vinyl, 4" high	55.00 LF@	1.92=	105.60
R&R Glue down carpet - Commercial grade	187.50 SF@	4.76=	892.51
R&R Steel frame glazed openings	10.25 SF@	25.68=	263.22
R&R Steel door frame - 3' opening	1.00 EA@	151.48=	151.48
Paint door/sidelight window frame - 2 coats (per side)	2.00 EA@	31.86=	63.72
R&R Wood door - birch face, solid core, 7'0	1.00 EA@	168.57=	168.57
Paint door slab only - 2 coats (per side)	2.00 EA@	15.99=	31.98
R&R Door hinge, 4" ball bearing (set of 3)	1.00 EA@	59.26=	59.26
R&R Lockset - keyed - Medium duty - Commercial grade	1.00 EA@	120.59=	120.59
R&R Door stop - Wall or floor mounted	1.00 EA@	12.62=	12.62
R&R Fluorescent - acoustic grid fixture - four tube, 2'x 4'	2.00 EA@	168.73=	337.46

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

Room: IT Room

LxWxH 15'0" x 13'6" x 9'0"

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Suspended ceiling system - 2' x 4'	202.50 SF@	1.90=	384.76
R&R 5/8" drywall - hung, taped, with smooth wall finish	513.00 SF@	1.82=	933.66
Seal/prime the walls - one coat	513.00 SF@	0.29=	148.77
R&R Batt insulation - 6" - R19	202.50 SF@	0.99=	200.48
R&R Cove base molding - rubber or vinyl, 4" high	57.00 LF@	1.92=	109.44
R&R Steel frame glazed openings	10.25 SF@	25.68=	263.22
R&R Steel door frame - 3' opening	1.00 EA@	151.48=	151.48
Paint door/sidelight window frame - 2 coats (per side)	2.00 EA@	31.86=	63.72
R&R Wood door - birch face, solid core, 7'0	1.00 EA@	168.57=	168.57
Paint door slab only - 2 coats (per side)	2.00 EA@	15.99=	31.98
R&R Door hinge, 4" ball bearing (set of 3)	1.00 EA@	59.26=	59.26
R&R Lockset - keyed - Medium duty - Commercial grade	1.00 EA@	120.59=	120.59
R&R Door stop - Wall or floor mounted	1.00 EA@	12.62=	12.62
R&R Fluorescent - acoustic grid fixture - four tube, 2'x 4'	2.00 EA@	168.73=	337.46
R&R Tile - vinyl composition - High grade	202.50 SF@	2.63=	532.58
Replace Floor preparation for vct	202.50 SF@	0.47=	95.18

Room: IT Server

LxWxH 15'0" x 11'2" x 9'0"

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Suspended ceiling system - 2' x 4'	167.50 SF@	1.90=	318.26
R&R 5/8" drywall - hung, taped, with smooth wall finish	471.00 SF@	1.82=	857.22
Seal/prime the walls - one coat	471.00 SF@	0.29=	136.59
R&R Batt insulation - 6" - R19	167.50 SF@	0.99=	165.83
R&R Cove base molding - rubber or vinyl, 4" high	52,33 LF@	1.92=	100.48
R&R Steel door frame - 3' opening	1.00 EA@	151.48=	151.48
R&R Wood door - birch face, solid core, 7'0	1.00 EA@	168.57=	168.57
Paint door slab only - 2 coats (per side)	2.00 EA@	15.99=	31.98
R&R Door hinge, 4" ball bearing (set of 3)	1.00 EA@	59.26=	59.26

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

CONTINUED - IT Server

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Lockset - keyed - Medium duty - Commercial grade	1.00 EA@	120.59=	120.59
R&R Door stop - Wall or floor mounted	1.00 EA@	12.62=	12.62
R&R Fluorescent - acoustic grid fixture - four tube, 2'x 4'	2.00 EA@	168.73=	337.46
Paint door frame - 2 coats (per side)	2.00 EA@	15.93=	31.86
R&R Tile - vinyl composition - High grade	167.50 SF@	2.63≔	440.53
Replace Floor preparation for vct	167.50 SF@	0.47=	78.73

Room: Office 116

LxWxH 15'0" x 11'2" x 9'0"

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Suspended ceiling system - 2' x 4'	167.50 SF@	1.90=	318.26
R&R 5/8" drywall - hung, taped, with smooth wall finish	471.00 SF@	1.82=	857.22
Seal/prime the walls - one coat	471.00 SF@	0.29=	136.59
R&R Batt insulation - 6" - R19	167.50 SF@	0.99=	165.83
R&R Cove base molding - rubber or viryl, 4" high	52.33 LF@	1.92=	100.48
R&R Glue down carpet - Commercial grade	167.50 SF@	4.76=	797.31
R&R Steel frame glazed openings	10.25 SF@	25.68=	263.22
R&R Steel door frame - 3' opening	1.00 EA@	151.48=	151.48
Paint door/sidelight window frame - 2 coats (per side)	2.00 EA@	31.86=	63.72
R&R Wood door - birch face, solid core, 7'0	1.00 EA@	168.57=	168.57
Paint door slab only - 2 coats (per side)	2.00 EA@	15.99=	31.98
R&R Door hinge, 4" ball bearing (set of 3)	1.00 EA@	59.26=	59.26
R&R Lockset - keyed - Medium duty - Commercial grade	1.00 EA@	120.59=	120.59
R&R Door stop - Wall or floor mounted	1.00 EA@	12.62=	12.62
R&R Fluorescent - acoustic grid fixture - four tube, 2'x 4'	2.00 EA@	168.73=	337.46
R&R Steel frame glazed openings	42.50 SF@	25.68=	1,091.40

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

CONTINUED - Office 116

DESCRIPTION	QNTY	UNIT COST	TOTAL
Paint window frame - 2 coats (per side)	2.00 EA@	15.93=	31.86

Room: Office 117

LxWxH 15'0" x 11'2" x 9'0"

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Suspended ceiling system - 2' x 4'	167.50 SF@	1.90=	318.26
R&R 5/8" drywall - hung, taped, with smooth wall finish	471.00 SF@	1.82≔	857.22
Seal/prime the walls - one coat	471.00 SF@	0.29=	136.59
R&R Batt insulation - 6" - R19	167.50 SF@	0.99=	165.83
R&R Cove base molding - rubber or vinyl, 4" high	52.33 LF@	1.92=	100.48
R&R Glue down carpet - Commercial grade	167.50 SF@	4.76=	797.31
R&R Steel frame glazed openings	10.25 SF@	25.68=	263.22
R&R Steel door frame - 3' opening	1.00 EA@	151.48=	151.48
Paint door/sidelight window frame - 2 coats (per side)	2.00 EA@	31.86=	63.72
R&R Wood door - birch face, solid core, 7'0	1.00 EA@	168.57=	168.57
Paint door slab only - 2 coats (per side)	2.00 EA@	15.99=	31:98
R&R Door hinge, 4" ball bearing (set of 3)	1.00 EA@	59.26=	59.26
R&R Lockset - keyed - Medium duty - Commercial grade	1.00 EA@	120.59=	120.59
R&R Door stop - Wall or floor mounted	1.00 EA@	12.62=	12.62
R&R Fluorescent - acoustic grid fixture - four tube, 2'x 4'	2.00 EA@	168.73=	337.46
R&R Steel frame glazed openings	42.50 SF@	25.68=	1,091.40
Paint window frame - 2 coats (per side)	2.00 EA@	15.93=	31.86

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

Room: Office 118

LxWxH 13'0" x 12'8" x 9'0"

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Suspended ceiling system - 2' x 4'	164.67 SF@	1.90=	312.87
R&R 5/8" drywall - hung, taped, with smooth wall finish	462.00 SF@	1.82=	840.84
Seal/prime the walls - one coat	462.00 SF@	0.29=	133.98
R&R Batt insulation - 6" - R19	164.67 SF@	0.99=	163.02
R&R Cove base molding - rubber or vinyl, 4" high	51.33 LF@	1.92=	98.56
R&R Glue down carpet - Commercial grade	164.67 SF@	4.76=	783.81
R&R Steel frame glazed openings	10.25 SF@	25.68=	263.22
R&R Steel door frame - 3' opening	1.00 EA@	151.48=	151.48
Paint door/sidelight window frame - 2 coats (per side)	2.00 EA@	31.86=	63.72
R&R Wood door - birch face, solid core, 7'0	1.00 EA@	168.57=	168.57
Paint door slab only - 2 coats (per side)	2.00 EA@	15.99=	31.98
R&R Door hinge, 4" ball bearing (set of 3)	1.00 EA@	59.26=	59.26
R&R Lockset - keyed - Medium duty - Commercial grade	1.00 EA@	120.59=	120.59
R&R Door stop - Wall or floor mounted	1.00 EA@	12.62=	12.62
R&R Fluorescent - acoustic grid fixture - four tube, 2'x 4'	2.00 EA@	168.73=	337.46
R&R Steel frame glazed openings	85.00 SF@	25.68=	2,182.80
Paint window frame - 2 coats (per side)	4.00 EA@	15.93=	63.72

Room: Office 119

LxWxH 13'0" x 12'6" x 9'0"

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Suspended ceiling system - 2' x 4'	162.50 SF@	1.90=	308.76
R&R 5/8" drywall - hung, taped, with smooth wall finish	459.00 SF@	1.82=	835.38
Seal/prime the walls - one coat	459.00 SF@	0.29=	133.11
R&R Batt insulation - 6" - R19	162.50 SF@	0.99=	160.88
R&R Cove base molding - rubber or vinyl, 4" high	51.00 LF@	1.92≕	97.92
R&R Glue down carpet - Commercial grade	162.50 SF@	4.76=	773.51
R&R Steel frame glazed openings	10.25 SF@	25.68=	263.22
R&R Steel door frame - 3' opening	1.00 EA@	151.48=	151.48

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

CONTINUED - Office 119

DESCRIPTION	QNTY	UNIT COST	TOTAL
Paint door/sidelight window frame - 2 coats (per side)	2.00 EA@	31.86=	63.72
R&R Wood door - birch face, solid core, 7'0	1.00 EA@	168.57=	168.57
Paint door slab only - 2 coats (per side)	2.00 EA@	15.99=	31.98
R&R Door hinge, 4" ball bearing (set of 3)	1.00 EA@	59.26=	59.26
R&R Lockset - keyed - Medium duty - Commercial grade	1.00 EA@	120.59=	120.59
R&R Door stop - Wall or floor mounted	1.00 EA@	12.62=	12.62
R&R Fluorescent - acoustic grid fixture - four tube, 2'x 4'	2.00 EA@	168.73=	337.46
R&R Steel frame glazed openings	42,50 SF@	25.68=	1,091.40
Paint window frame - 2 coats (per side)	2.00 EA@	15.93=	31.86

Room: Office 120

LxWxH 13'0" x 12'6" x 9'0"

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Suspended ceiling system - 2' x 4'	162.50 SF@	1.90=	308.76
R&R 5/8" drywall - hung, taped, with smooth wall finish	459.00 SF@	1.82=	835.38
Seal/prime the walls - one coat	459.00 SF@	0.29=	133.11
R&R Batt insulation - 6" - R19	162.50 SF@	0.99=	160.88
R&R Cove base molding - rubber or vinyl, 4" high	51.00 LF@	1.92=	97.92
R&R Glue down carpet - Commercial grade	162.50 SF@	4.76=	773.51
R&R Steel frame glazed openings	10.25 SF@	25.68=	263.22
R&R Steel door frame - 3' opening	1.00 EA@	151.48=	151.48
Paint door/sidelight window frame - 2 coats (per side)	2.00 EA@	31.86=	63.72
R&R Wood door - birch face, solid core, 7'0	1.00 EA@	168.57=	168.57
Paint door slab only - 2 coats (per side)	2.00 EA@	15.99=	31.98
R&R Door hinge, 4" ball bearing (set of 3)	1.00 EA@	59.26=	59.26
R&R Lockset - keyed - Medium duty - Commercial grade	1.00 EA@	120.59=	120.59
R&R Door stop - Wall or floor mounted	1.00 EA@	12.62=	12.62

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

CONTINUED - Office 120

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Fluorescent - acoustic grid fixture - four tube, 2'x 4'	2.00 EA@	168.73=	337.46
R&R Steel frame glazed openings	42.50 SF@	25.68=	1,091.40
Paint window frame - 2 coats (per side)	2.00 EA@	15.93=	31.86

Room: Office 121

LxWxH 13'0" x 12'6" x 9'0"

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Suspended ceiling system - 2' x 4'	162.50 SF@	1.90=	308.76
R&R 5/8" drywall - hung, taped, with smooth wall finish	459.00 SF@	1.82=	835.38
Seal/prime the walls - one coat	459.00 SF@	0.29=	133.11
R&R Batt insulation - 6" - R19	162.50 SF@	0.99=	160.88
R&R Cove base molding - rubber or vinyl, 4" high	51.00 LF@	1.92=	97.92
R&R Glue down carpet - Commercial grade	162.50 SF@	4.76=	773.51
R&R Steel frame glazed openings	10.25 SF@	25.68=	263.22
R&R Steel door frame - 3' opening	1.00 EA@	151.48=	151.48
Paint door/sidelight window frame - 2 coats (per side)	2.00 EA@	31.86=	63.72
R&R Wood door - birch face, solid core, 7'0	1.00 EA@	168.57=	168.57
Paint door slab only - 2 coats (per side)	2.00 EA@	15.99=	31.98
R&R Door hinge, 4" ball bearing (set of 3)	1.00 EA@	59.26=	59.26
R&R Lockset - keyed - Medium duty - Commercial grade	1.00 EA@	120.59=	120.59
R&R Door stop - Wall or floor mounted	1.00 EA@	12.62=	12.62
R&R Fluorescent - acoustic grid fixture - four tube, 2'x 4'	2.00 EA@	168.73=	337.46
R&R Steel frame glazed openings	42.50 SF@	25.68=	1,091.40
Paint window frame - 2 coats (per side)	2.00 EA@	15.93=	31.86

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

Room: Office 122

LxWxH 13'0" x 12'6" x 9'0"

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Suspended ceiling system - 2' x 4'	162.50 SF@	1.90=	308.76
R&R 5/8" drywall - hung, taped, with smooth wall finish	459.00 SF@	1.82=	835.38
Seal/prime the walls - one coat	459.00 SF@	0.29=	133.11
R&R Batt insulation - 6" - R19	162.50 SF@	0.99=	160.88
R&R Cove base molding - rubber or vinyl, 4" high	51.00 LF@	1.92=	97.92
R&R Glue down carpet - Commercial grade	162.50 SF@	4.76=	773.51
R&R Steel frame glazed openings	10.25 SF@	25.68=	263.22
R&R Steel door frame - 3' opening	1.00 EA@	151.48=	151.48
Paint door/sidelight window frame - 2 coats (per side)	2.00 EA@	31.86=	63.72
R&R Wood door - birch face, solid core, 7'0	1.00 EA@	168.57=	168.57
Paint door slab only - 2 coats (per side)	2.00 EA@	15.99=	31.98
R&R Door hinge, 4" ball bearing (set of 3)	1.00 EA@	59.26≕	59.26
R&R Lockset - keyed - Medium duty - Commercial grade	1.00 EA@	120.59=	120.59
R&R Door stop - Wall or floor mounted	1.00 EA@	12.62=	12.62
R&R Fluorescent - acoustic grid fixture - four tube, 2'x 4'	2.00 EA@	168.73=	337.46
R&R Steel frame glazed openings	42.50 SF@	25.68=	1,091.40
Paint window frame - 2 coats (per side)	2.00 EA@	15.93=	31.86

Room: Janitors Closet

LxWxH 13'0" x 12'6" x 9'0"

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Suspended ceiling system - 2' x 4'	162.50 SF@	1.90=	308.76
R&R 5/8" drywall - hung, taped, with smooth wall finish	459.00 SF@	1.82=	835.38
Seal/prime the walls - one coat	459.00 SF@	0.29=	133.11
R&R Batt insulation - 6" - R19	162.50 SF@	0.99=	160.88
R&R Cove base molding - nibber or vinyl, 4" high	51.00 LF@	1.92=	97.92
R&R Steel door frame - 3' opening	1.00 EA@	151.48=	151.48
R&R Wood door - birch face, solid core, 7'0	1.00 EA@	168.57=	168.57

08.13.2008 Page: 19

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

CONTINUED - Janitors Closet

DESCRIPTION	QNTY	UNIT COST	TOTAL
Paint door slab only - 2 coats (per side)	2.00 EA@	15.99=	31.98
R&R Door hinge, 4" ball bearing (set of 3)	1.00 EA@	59.26=	59.26
R&R Lockset - keyed - Medium duty - Commercial grade	1.00 EA@	120.59=	120.59
R&R Door stop - Wall or floor mounted	1.00 EA@	12.62=	12.62
Paint door frame - 2 coats (per side)	2.00 EA@	15.93=	31.86
R&R Tile - vinyl composition - High grade	162.50 SF@	2.63=	427.38
Replace Floor preparation for vct	162.50 SF@	0.47=	76.38
R&R Service sink - corner - floor mounted	1.00 EA@	914.59=	914.59

Room: General

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Window blind - horizontal or vertical - Large	40.00 EA@	121.41=	4,856.40

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

Shipping Office

Room: Office 204

LxWxH 15'4" x 13'0" x 9'0"

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Suspended ceiling system - 2' x 4'	199.33 SF@	1.90=	378.73
R&R 5/8" drywall - hung, taped, with smooth wall finish	510.00 SF@	1.82=	928.20
Seal/prime the walls - one coat	510.00 SF@	0.29=	147.90
R&R Batt insulation - 6" - R19	199.33 SF@	0,99=	197.34
R&R Cove base molding - rubber or vinyl, 4" high	56.67 LF@	1.92=	108.80
R&R Steel frame glazed openings	10.25 SF@	25.68=	263.22
R&R Steel door frame - 3' opening	1.00 EA@	151.48=	151.48
Paint door/sidelight window frame - 2 coats (per side)	2.00 EA@	31.86=	63.72
R&R Wood door - birch face, solid core, 7'0	1.00 EA@	168.57=	168.57
Paint door slab only - 2 coats (per side)	2.00 EA@	15.99=	31.98
R&R Door hinge, 4" ball bearing (set of 3)	1.00 EA@	59.26=	59.26
R&R Lockset - keyed - Medium duty - Commercial grade	1.00 EA@	120.59=	120.59
R&R Door stop - Wall or floor mounted	1,00 EA@	12.62=	12.62
R&R Fluorescent - acoustic grid fixture - four tube, 2'x 4'	2.00 EA@	168.73=	337.46
R&R Tile - vinyl composition - High grade	199.33 SF@	2.63=	524.25
Replace Floor preparation for vct	199.33 SF@	0.47=	93.69

Room: Office 203

LxWxH 15'4" x 13'0" x 9'0"

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Suspended ceiling system - 2' x 4'	199.33 SF@	1.90=	378.73
R&R 5/8" drywall - hung, taped, with smooth wall finish	510.00 SF@	1.82=	928.20
Seal/prime the walls - one coat	510.00 SF@	0.29=	147.90
R&R Batt insulation - 6" - R19	199.33 SF@	0.99=	197.34
R&R Cove base molding - rubber or vinyl, 4" high	56.67 LF@	1.92=	108.80

08.13.2008 Page: 21

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

CONTINUED - Office 203

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Steel frame glazed openings	10.25 SF@	25.68=	263.22
R&R Steel door frame - 3' opening	1.00 EA@	151.48=	151.48
Paint door/sidelight window frame - 2 coats (per side)	2.00 EA@	31.86=	63.72
R&R Wood door - birch face, solid core, 7'0	1.00 EA@	168.57=	168.57
Paint door slab only - 2 coats (per side)	2.00 EA@	15.99=	31.98
R&R Door hinge, 4" ball bearing (set of 3)	1.00 EA@	59.26=	59.26
R&R Lockset - keyed - Medium duty - Commercial grade	1.00 EA@	120.59=	120.59
R&R Door stop - Wall or floor mounted	1.00 EA@	12.62=	12.62
R&R Fluorescent - acoustic grid fixture - four tube, 2'x 4'	2.00 EA@	168.73=	337.46
R&R Tile - vinyl composition - High grade	199.33 SF@	2.63=	524.25
Replace Floor preparation for vct	199.33 SF@	0.47=	93.69

Room: Lounge LxWxH 9'0" x 7'0" x 9'0"

Subroom 1: Offset LxWxH 15'4" x 14'6" x 9'0"

Missing Wall: 1 - 7'0" X 9'0"	Opens into 0	Goes to Floor/Ceiling	
DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Suspended ceiling system - 2' x 4'	285.33 SF@	1.90=	542.13
R&R 5/8" drywall - hung, taped, with smooth wall finish	699.00 SF@	1.82=	1,272.18
Seal/prime the walls - one coat	699.00 SF@	0.29=	202.71
R&R Batt insulation - 6" - R19	285.33 SF@	0.99=	282.48
R&R Cove base molding - rubber or vinyl, 4" high	77.67 LF@	1.92=	149.12
R&R Steel frame glazed openings	10.25 SF@	25.68=	263.22
R&R Steel door frame - 3' opening	1.00 EA@	151.48=	151.48
Paint door/sidelight window frame - 2 coats (per side)	2,00 EA@	31.86=	63.72
R&R Wood door - birch face, solid core, 7'0	1.00 EA@	168.57=	168.57
Paint door slab only - 2 coats (per side)	2.00 EA@	15.99=	31.98

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

CONTINUED - Lounge

QNTY	UNIT COST	TOTAL
1.00 EA@	59.26=	59.26
1.00 EA@	120.59=	120.59
1.00 EA@	12.62=	12.62
3.00 EA@	168.73=	506.19
285.33 SF@	2.63=	750.43
285.33 SF@	0.47=	134.11
	1.00 EA@ 1.00 EA@ 1.00 EA@ 3.00 EA@ 285.33 SF@	1.00 EA@ 59.26= 1.00 EA@ 120.59= 1.00 EA@ 12.62= 3.00 EA@ 168.73= 285.33 SF@ 2.63=

Room: Toilet

LxWxH 9'0" x 8'0" x 9'0"

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Suspended ceiling system - 2' x 4'	72.00 SF@	1.90=	136.80
R&R 5/8" drywall - hung, taped, with smooth wall finish	306.00 SF@	1.82=	556.92
Seal/prime the walls - one coat	306.00 SF@	0.29=	88.74
R&R Batt insulation - 6" - R19	72.00 SF@	0.99=	71.28
R&R Cove base molding - rubber or vinyl, 4" high	34.00 LF@	1.92=	65.28
R&R Steel frame glazed openings	10.25 SF@	25.68=	263.22
R&R Steel door frame - 3' opening	1.00 EA@	151.48=	151.48
Paint door/sidelight window frame - 2 coats (per side)	2,00 EA@	31.86=	63.72
R&R Wood door - birch face, solid core, 7'0	1.00 EA@	168.57=	168.57
Paint door slab only - 2 coats (per side)	2.00 EA@	15.99=	31.98
R&R Door hinge, 4" ball bearing (set of 3)	1.00 EA@	59.26=	59.26
R&R Lockset - keyed - Medium duty - Commercial grade	1.00 EA@	120.59=	120.59
R&R Door stop - Wall or floor mounted	1.00 EA@	12.62=	12.62
R&R Fluorescent - acoustic grid fixture - four tube, 2'x 4'	1.00 EA@	168.73=	168.73
R&R Tile - vinyl composition - High grade	72.00 SF@	2.63=	189.36
Replace Floor preparation for vct	72.00 SF@	0.47=	33.84
Detach & Reset Toilet	1.00 EA@	162.30=	162.30

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

CONTINUED - Toilet

DESCRIPTION	QNTY	UNIT COST	TOTAL
Detach & Reset Sink - single	1.00 EA@	100.10=	100.10
Detach & Reset Sink faucet - Bathroom	1.00 EA@	80.28=	80.28
R&R Toilet seat	1.00 EA@	46.82=	46.82

Room: Electrical Room

LxWxH 20'5" x 10'0" x 9'0"

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Suspended ceiling system - 2' x 4'	204.17 SF@	1.90=	387.92
R&R 5/8" drywall - hung, taped, with smooth wall finish	363.75 SF@	1.82=	662.03
Seal/prime the walls - one coat	547.50 SF@	0.29=	158.78
R&R Batt insulation - 6" - R19	204.17 SF@	0.99=	202.12
R&R Cove base molding - rubber or vinyl, 4" high	60.83 LF@	1.92=	116.80
R&R Steel frame glazed openings	10.25 SF@	25.68=	263.22
R&R Steel door frame - 3' opening	1.00 EA@	151.48=	151.48
Paint door frame - 2 coats (per side)	4.00 EA@	15.93=	63.72
R&R Steel door, 3'x 7'	2.00 EA@	149.85=	299.70
Paint door slab only - 2 coats (per side)	4.00 EA@	15.99=	63.96
R&R Door hinge, 4" ball bearing (set of 3)	2.00 EA@	59.26=	118.52
R&R Lockset - keyed - Medium duty - Commercial grade	2.00 EA@	120.59=	241.18
R&R Door stop - Wall or floor mounted	2.00 EA@	12.62=	25.24

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

Room: Warehouse

LxWxH 702'0" x 250'0" x 40'0"

DESCRIPTION	QNTY	UNIT COST	TOTAL
Replace Service recessed dock levelers - 30 ton	19.00 EA@	564.91=	10,733.29
R&R Recessed Dock levelers- 30 ton	10.00 EA@	2950.00=	29,500.00
R&R Track guards	41.00 EA@	268.00=	10,988.00
R&R Dock light fixture	29.00 EA@	77.87=	2,258.23
R&R Bumper for loading dock	78.00 EA@	131.88=	10,286.64
R&R LAM - Indirect metal halide	341.00 EA@	364.00=	124,124.00
R&R Fluorescent - two tube - 8' - strip light	110.00 EA@	122.03=	13,423.30
Replace Epoxy finish - one coat over concrete floor	5,000.00 SF@	2.38=	11,900.00
Replace Loading dock - door seals	29.00 EA@	781.17=	22,653.93
R&R 5/8" drywali - hung, taped, with smooth wall finish	10,000.00 SF@	1.82=	18,200.00
Replace Metal studding, 6" wide, 16" OC, 20 Ga 1/2 area	5,000.00 SF@	1.92=	9,600.00
Replace Chain link fence w/posts & gatesl - vinyl coat -	10,000.00 LF@	5.65=	56,500.00
R&R Dock pits	10.00 EA@	1650.00=	16,500.00

Room: Warehouse Restroom

LxWxH 8'0" x 7'6" x 8'0"

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Suspended ceiling system - 2' x 4'	60.00 SF@	1.90=	114.00
R&R 5/8" drywall - hung, taped, with smooth wall finish	248.00 SF@	1.82=	451.36
Seal/prime the walls - one coat	248.00 SF@	0.29=	71.92
R&R Batt insulation - 6" - R19	60.00 SF@	0.99=	59.40
R&R Cove base molding - rubber or vinyl, 4" high	31.00 LF@	1.92=	59.52
R&R Steel door frame - 3' opening	1.00 EA@	151.48=	151,48
Paint door frame - 2 coats (per side)	2.00 EA@	15.93=	31.86
R&R Wood door - birch face, solid core, 7'0	1.00 EA@	168.57=	168.57
Paint door slab only - 2 coats (per side)	2.00 EA@	15.99=	31.98
R&R Door hinge, 4" ball bearing (set of 3)	1.00 EA@	59.26=	59.26
R&R Lockset - keyed - Medium duty - Commercial grade	1.00 EA@	120.59=	120.59
R&R Door stop - Wall or floor mounted	1.00 EA@	12.62=	12.62

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

CONTINUED - Warehouse Restroom

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Fluorescent - acoustic grid fixture - four tube, 2'x 4'	1.00 EA@	168.73=	168.73
R&R Tile - vinyl composition - High grade	60.00 SF@	2.63=	157.80
Replace Floor preparation for vct	60.00 SF@	0.47=	28.20
Detach & Reset Toilet	1.00 EA@	162.30=	162.30
Detach & Reset Sink - single	1.00 EA@	100.10=	100.10
Detach & Reset Sink faucet - Bathroom	1.00 EA@	80.28=	80.28
R&R Toilet seat	1.00 EA@	46.82=	46.82
R&R Handicap grab bar - Stainless steel, 1 1/2" x 36"	1,00 EA@	64.62=	64.62
R&R Handicap grab bar - Stainless steel, 1 1/2" x 42"	1.00 EA@ .	72.63=	72.63
R&R Paper towel dispenser	1.00 EA@	71.66=	71.66
R&R Toilet paper dispenser - double roll	1.00 EA@	51.18=	51.18
R&R Mirror - 1/4" plate glass	4.50 SF@	9.63=	43,34

Mechanicals

Room: Electrical LxWxH 147'9" x 69'8" x 9'0"

Subroom 2: Electrical Room

LxWxH 20'5" x 20'0" x 9'0"

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Phone / low voltage copper wiring	11,460.58 LF@	0.81=	9,283.07
Replace Surveillance system wiring for camera drops	19.00 EA@	449.47=	8,539.93

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

CONTINUED - Electrical

DESCRIPTION	QNTY	UNIT COST	TOTAL
Replace Commercial electricall - warehouse area	175,500.00 SF@	1.30=	228,150.00
Room: Plumbing		LxWxH 147'9" x 69'8" x 9'0"	

Subroom 2: Electrical Room

LxWxH 20'5" x 20'0" x 9'0"

DESCRIPTION	QNTY	UNIT COST	TOTAL
Replace Rough in plumbing - includes supply and waste lines, reconnection to existing	1.00 EA@	26920.00=	26,920.00
Replace Copper water mains to restroom and pipe insulation	1.00 EA@	28185.00=	28,185.00
Detach & Reset Eyewash	1.00 EA@	480.00=	480.00
Replace Natural gas service line - split	1.00 EA@	4900.00=	4,900.00
Replace Drains for rooftop units	7.00 EA@	1300.00=	9,100.00

 LxWxH 147'9" x 69'8" x 9'0"

 Subroom 1: Shipping area
 LxWxH 49'6" x 15'4" x 9'0"

 Subroom 2: Electrical Room
 LxWxH 20'5" x 20'0" x 9'0"

 DESCRIPTION
 QNTY
 UNIT COST
 TOTAL

 R&R Heating and cooling unit - 12.5 ton
 1.00 EA@
 17964.37=
 17,964.37

08/13/2008 Page: 27

LxWxH 49'6" x 15'4" x 9'0"

Subroom 1: Shipping area

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

CONTINUED - Heat, Vent, & Cool

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Heating and cooling unit - 5 ton, 140 MBH	3.00 EA@	9044.24=	27,132.72
R&R Heating and cooling unit - 10 ton, 260 MBH	1.00 EA@	15766.37=	15,766.37
R&R Heating and cooling unit - 3 ton	2.00 EA@	5458.89=	10,917.78
R&R Ductwork - hot or cold air (per drop) - Insulated	74.00 EA@	374.99=	27,749.26
R&R Exhaust fan - cone style 48" 6 blade, galvanized	1.00 EA@	1876.75=	1,876.75
R&R Exhaust fan - cone style 36" 6 blade, galvanized	2.00 EA@	631.35=	1,262.70
R&R Thermostat - Premium grade (programmable)	7.00 EA@	244.40=	1,710.80

Room: Fire protection

LxWxH 147'9" x 69'8" x 9'0"

Subroom 1: Shipping area

LxWxH 49'6" x 15'4" x 9'0"

Subroom 2: Electrical Room

LxWxH 20'5" x 20'0" x 9'0"

DESCRIPTION	QNTY	UNIT COST	TOTAL
R&R Exposed fire protection system (SF of bldg)	16,460.58 SF@	3.46=	56,953.62

Room: General Conditions

DESCRIPTION	QNTY	UNIT COST	TOTAL
Commercial supervision - per hour General Laborer - per hour	880.00 HR@	54.13=	47,634.40
	880.00 HR@	24.11=	21,216.80

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

CONTINUED - General Conditions

DESCRIPTION	QNTY	UNIT COST	TOTAL
Dumpster load - Approx. 40 yards, 7-8 tons of debris	56.00 EA@	521.04=	29,178.24
Replace Temporary construction office - portable (trailer)	5.00 MO@	260.00=	1,300.00
R&R Temporary power - hookup	1.00 EA@	336.59=	336.59
Replace Temporary power usage (per month) - Commercial	5.00 MO@	168.79=	843.95
Replace Temporary toilet (per month)	10.00 MO@	90.96=	909.60
Replace Temporary water - hookup fee - Commercial	1.00 EA@	500.00=	500.00
Replace Temporary water - usage - per month - Commercial	5.00 MO@	56.00=	280.00
Engineering and Architectural Services	1.00 EA@	12291.36=	12,291.36
Clean - Post Construction	11,461.00 SF@	0.65=	7,449.65

Grand Total Areas:

120,684.17	SF Walls	233,027.33	SF Ceiling	353,711.50	SF Walls & Ceiling
233,027.33	SF Floor	25,891.93	SY Flooring	6,886.17	LF Floor Perimeter
43,418.17	SF Long Wall	18,076.75	SF Short Wall	6,898.17	LF Ceil Perimeter
0.00	Floor Area	0.00	Total Area	0.00	Interior Wall Area
51.55	Exterior Wall Area	0.00			
			Walls		
0.00	0.6.4	0.00	Noushau of Canaga	0.00	Total Perimeter Length
0.00	Surface Area	0.00	Number of Squares	0.00	Total refineter Length
0.00	Total Ridge Length	0.00	Total Hip Length	0.00	Area of Face 1

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

Summary for Tornado

Grand Total				1,417,756.48
MS Contractors Tax	@	3,500% x	2,502,910.59	40,907.79
Overhead	@	9.5% x	1,246,171.08	118,386.25
Subtotal			*	1,258,462.44
Material Sales Tax	@	9.250% x	907,098.54	83,906.61
Permit				5,761.47
Line Item Total				1,168,794.36

Christy Ball

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

Recap By Category

O&P Items			Total Dollars	%
ACOUSTICAL TREATMENTS			19,747.70	1.39%
CABINETRY			18,659.51	1.32%
CLEANING			7,449.65	0.53%
CONCRETE & ASPHALT			28,400.00	2.00%
GENERAL DEMOLITION			77,984.05	5.50%
DOORS			9,269.07	0.65%
DRYWALL			65,387.57	4.61%
ELECTRICAL			236,287.01	16.67%
ELECTRICAL - SPECIAL SYSTEMS			8,539.93	0.60%
MISC. EQUIPMENT - COMMERCIAL			73,375.22	5.18%
FLOOR COVERING - CARPET			21,011.30	1.48%
FLOOR COVERING - RESILIENT			13,432.76	0.95%
FLOOR COVERING - VINYL			7,358.20	0.52%
FENCING			56,500.00	3.99%
FINISH HARDWARE			14,442.70	1.02%
FIRE PROTECTION SYSTEMS			43,949.76	3.10%
FRAMING & ROUGH CARPENTRY			3,930.72	0.28%
GLASS, GLAZING, & STOREFRONTS			14,725.86	1.04%
HEAT, VENT & AIR CONDITIONING			99,375.96	7.01%
INSULATION - MECHANICAL			28,185.00	1.99%
INSULATION			9,231.19	0.65%
LABOR ONLY			68,851.20	4.86%
LIGHT FIXTURES			157,745.49	11.13%
MIRRORS & SHOWER DOORS			875.05	0.06%
PLUMBING			49,152.89	3,47%
PAINTING			9,014.02	0.64%
TOILET & BATH ACCESSORIES			4,854.92	0.34%
TEMPORARYREPAIRS			4,133.87	0.29%
WINDOW TREATMENT			4,632.40	0.33%
Subtotal			1,156,503.00	81.57%
Permit			5,761.47	0.41%
Material Sales Tax	@	9.250%	83,906.61	5.92%
Overhead	@	9.50%	118,386.25	8.35%

08/13/2008 Page: 31

1025 Rose Creek Drive Suite 620-188 Woodstock, GA 30189

O&P Items Subtotal		1,364,557.33	96.25%
Non-O&P Items		Total Dollars	%
LABOR ONLY		12,291.36	0.87%
Non-O&P Items Subtotal		12,291.36	0.87%
O&P Items Subtotal		1,364,557.33	96.25%
MS Contractors Tax	@ 3.500%	40,907.79	2.89%
Grand Total		1,417,756.48	

SECULICITY SYSTEM

the control of the co

¢

1,

8

E X

)

Ą

H X E

 $\overset{\Diamond}{\circ}$

HXHISHL

éunencan Appraisal Associates

් මාපුයේ ිදෝසබල්වූය	SECURITY SYSTEM	Total Machinery	Raymond	t the Manufacturing Company		MACHURERY	Capital Lease	Quantity Manufacturer	
		218-OP C12	in a	35	Devisor			<u>ਅਿੰਘਰ</u>	
Security system consisting of interior and exterior camera, inordors, motion detectors, door contacts, vidoo input storage computer, indirects, swriching, wiring, and other related steries		2,200% cap, electric stand-up titled forklift length	35-eusia-foot cap, solid door type rathigherten	33-audio-logi cap, solid dpor imperetrigerator. មេដង និ sking debis	ice dispanser, will idand	Office furniture consisting of desks, chors, cubicks, mbinels, partitions, restrict files, break room furnitus, tuckets, and other related stems		Description	WIRDLESS RETAIL, INC. National Distribution Center Southtoren, Mississippi October 1, 2004
	<i>-</i>	218-08-25-116	Z-MANAG	1. Negativa		45°C		Securi Namelyes	
E in the control of the control of	1000					0.0 - 1.0 -	;• •	The state of the s	

E
X
1
Ì
13
1
Ŧ
Ü

American Appraisal Associates

:	a segun	- 1			<u>*.</u>		0.	
The section of the se	Tare Value . Cantibuci dec	Amendmenterstate submissers the environment and management of the second		المنافعة ال	ล้า อ้า	Control American Communication (Control American Control	Annual Control of the	18 (17 C)
	Establish					TFWIA HEALENS ITAK		
WIRELESS RETAIL, INC. National Distribution Center Southhaven, Mississippi October 1, 1884	Description	Secontly matel telepotes			1999 model ango ven	1001 model cargo van		
	Madel				Ouravan	W. Sandani		
	Winding the state of the state		Taral Security System	SETUINED VEHICLES	Decigo	Tord	Inial livensed Vaincles	
And the second s	Quantity	rane	Tara Se	I SCHOOL		·	1. 3. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	TALL CANAL

EXHIBIT

·

MOAJAMOS

LE Ivation Aystamas, mario.

2324 Foxhaven Drive Franklin, FN - 37069 (866) 898-5575

yan m<u>oriyarê bataliya</u>lî <u>an</u>

March 23, 2007

Bill Adams McLarens Young

Subject: Radio Shack - Southaven, MS Asset Dismantle and Liquidation

Quote # 2008-148

Mr. Adams,

As requested, we are submitting a written proposal for the New Radio Shack - Southaven, MS Asset Dismantle and Liquidation as described below;

- 1. Pallet Racking Dismantle Only
 - a. (373) Used pallet rack uprights -23'-6" x 44" structural bolt style
 - b. (7) Used pallet ruck uprights 16' x 42" tear drop style
 - c. (48) Used 96" x 4" lond beams tear drop style
 - d. (1384) Used 96" x 3" load beams structural bolt style
 - e, (2028) Used 96" x 4" load beams structural bolt style
 - f. (200) Used 12" row spacers structural bolt style
 - g. (3108) Used Wire Decking 44" x 46"
 - h. (48) Used Wire Decking 42" x 46"
 - i. (6232) Bolt-in pallet supports structural bolt style
 - j. (114) Fire Damaged (Scrap value only) Used pallet rack uprights 23'-6" x 44" - structural bolt style
 - k. (2592) Fire Damaged (Scrap value only) Used 96" x 3" load beams structural bolt style
 - (5184) Fire Damaged (Scrap value only) Bolt-in pallet supports structural bolt style
 - m. (2392) Fire Damaged (Sermy value only) Used Wire Decking 44" x 46"
 - Labor and all conjument
- 2 Guardrail Dismantle ONLY
 - a. (20) Used pallet rack end guards 2 rail
 - b. (14) sections 96" with 2 rail
 - c. Labor and all equipment
- Flow Rack (carton flow) Dismantle OM Y
 - (19) Bays of Carion How Rack 8" wide s 8" deep = 3 shelves
 - b. Labor and all equipment

ik manda Syaraha, La C.

2324 Foxbayen Drive Franklin, TN 37069 (866) 898-5575

segueraniager gaphiodogaic de a

- 4. Conveyor System Dismantle ONLY
 - a. (2) Used powered 24" wide BEST FLEX conveyor complete with
 - b. (900 LF) Gravity 24" wide conveyor complete with guardrail and stands
 - e. (2000 LF) Powered, various width conveyor, complete with guardrail and stands
 - d. (240 LF) Powered positive divert sorter, complete with guardrail and stands
 - e. All Powered curves slave driven, complete with guardrail and stands
 - f. All Crossover units steel constructed
 - g. Labor and all equipment
 - h. All Electrical and controls
- 5. Mezzanine Dismantle ONLY
 - a. (3150 SF) Torbek structural mezzanine with stairs and landings and handrail 18' x 25' (7 bays long)
 - b. Labor and all equipment
- 6. Pallet Flow Dismantle ONLY
 - a. (76) Patter rail guides and support angle
 - b. Labor and all equipment
- 7. Wire Partitions Dismontle ONLY
 - a. (600 LF) Wire Crafters welded wire partitions 5' x 10' panels, sliding gate and doors
 - b. Labor and all equipment
- 8. Wire Partitions Dismantle ONLY
 - a. (4000 SF) Safety netting and attachment hardware
 - b. Labor and all equipment
- 9. Miscellaneous
 - a. Security form and cameras
 - b. Labor and all equipment

2324 Foxhaven Drive Franklin, TN 37069 (866) 898-5575

ΙÓ.	Mobilizati	on & Temp	orary Facilities
-----	------------	-----------	------------------

- a. Mobile Office
- b. Phone
- e. Job Johnny
- d. Storage Trailer
- e. Dumpster General housekeeping ONLY
- f. Forklifts
- g. Aerial Lifts
- h. Fuel
- i. Banding steel
- j. Wood crating

Total for the above......\$119,906

ASSET VALUE - Wholesale and Retail during a 30 day period

Low Value \$41,289 * Average Value \$59,387 * High Value \$75,264 *

Asset values are estimates ONLY and are subject of change based upon condition and inventory of assets during the scope for this project.

InMotion Systems guarantees the sale of all mentioned Assets for a value of \$27,500

EXISTING INVENTORY REMOVAL AND DISPOSAL

All labor and equipment need to remove all existing inventory from the facility and dispose of into waste containers (20 - containers estimated) to be harded away

If additional containers are required per container charge will be added to the final bill at a rate of \$1,200/container.

^{*} Based upon a 30 day sale period and available Customers